

2001 NTEP Tall Fescue Test – 2003 Results

Glenn Hardebeck and Cale Bigelow

Objective

To evaluate commercial and experimental varieties of turf-type tall fescue under high maintenance conditions in central Indiana.

Rationale

Turf-type tall fescue has many attributes such as very good drought tolerance, very good heat tolerance, moderate cold tolerance, and good wear tolerance that make it a good choice for many turf sites. Tall fescue will form a dense, attractive turf stand when properly maintained. By determining the performance of the 160 varieties, we will be able to offer sound information on which varieties of turf-type tall fescue to plant in Indiana.

How It Was Done

One hundred and sixty varieties of turf-type tall fescue were seeded on 5 Sep 2001 at the William H. Daniel Research and Diagnostic Center on a silt loam soil. Seeding rate was 5.2 lbs per 1000 ft² and seed was spread using a hand shaker jar. After seeding the experiment was lightly raked and a starter fertilizer (8-22-16) was applied at the rate of 1.5 lbs P₂O₅ per 1000 ft². The area was covered with a germination blanket following seeding to prevent washing of seed and mixing of varieties.

Plots are maintained under a high maintenance regime, typical of a home lawn. The mowing height is 2 inches, mowed twice per week. The annual fertilization is 3.5 lbs. N per 1000 ft² with 1 lb applied in mid-May, 1 lb in mid-September, and 1.5 lbs. in early November. Irrigation will be applied to prevent any sign of stress.

Data collected in 2003 included genetic color, green-up, leaf texture, and visual quality ratings from Apr to Oct. All data taken were visual observations of turf characteristics and performance. Visual quality ratings were taken using a scale of 1 to 9 with 1 = no living turf, 5 = acceptable turf, and 9 = ideal turf.

Results to Date

- There are no statistical differences in average visual quality among the top 45 cultivars (Table 1).
- When making cultivar selections, it is best to consult the NTEP web page at www.ntep.org for complete performance data from around the country on cultivars, placing special emphasis on how cultivars perform in IN, IL, KY, MI and/or OH (depending if you are located in northern, central, or southern IN) under the specific maintenance regime you intend for that grass.

Table 1. Visual quality of 160 turf-type tall fescue cultivars growing under high maintenance in 2003.

Cultivar	Apr	May	June	July	Aug	Sep	Oct	Avg
Biltmore	8.0	8.0	8.0	8.0	7.3	7.7	7.7	7.8
Cayenne	8.0	7.3	8.0	8.3	7.7	7.7	7.3	7.8
Inferno (JT-99)	8.0	8.0	8.0	8.0	7.7	7.3	7.7	7.8
Justice (RB2-01)	7.7	7.7	8.3	8.3	7.3	7.3	7.7	7.8
K01-WAF	7.3	7.7	8.0	8.3	7.7	7.7	7.7	7.8
Raptor (CIS-TF-33)	8.0	8.0	8.0	8.3	7.3	7.3	7.7	7.8
Blackwatch (Pick-0D3-01)	7.3	7.3	8.0	8.0	8.3	7.7	7.0	7.7
Davinci (LTP-7801)	8.0	8.0	8.0	8.0	7.0	7.0	7.7	7.7
K01-8015	7.7	8.0	7.7	8.3	7.3	7.3	7.3	7.7
PST-5FZD	7.7	7.7	8.0	8.0	6.7	7.7	8.0	7.7
Rebel Exeda	7.7	7.7	8.0	7.7	7.3	7.3	8.0	7.7
Avenger (L1Z)	8.0	8.0	7.7	8.0	7.3	7.3	7.0	7.6
Cochise III (018)	7.7	7.7	8.0	7.7	7.0	7.7	7.7	7.6
Guardian-21 (Roberts Dol)	7.3	7.3	8.0	7.7	7.3	7.7	8.0	7.6
Kalahari	8.0	8.0	8.0	8.0	7.3	7.0	7.0	7.6
Rendition	8.0	8.0	8.0	8.0	7.0	7.0	7.0	7.6
01-ORU1	7.0	7.0	7.0	8.0	7.7	7.7	8.0	7.5
2nd Millennium	7.7	7.7	8.0	7.7	7.0	7.3	7.3	7.5
ATF 799	7.7	7.7	8.3	7.3	7.0	7.0	7.3	7.5
Barrera	7.7	7.7	7.3	7.7	7.7	7.7	7.0	7.5
BE1	7.0	7.0	7.7	8.0	7.7	7.3	7.7	7.5
CIS-TF-65	7.3	7.3	7.7	7.7	7.3	7.7	7.7	7.5
Dynasty	7.3	7.3	8.0	8.0	7.3	7.3	7.3	7.5
Falcon IV (F-4)	7.7	7.7	8.0	7.7	7.0	7.0	7.3	7.5
PST-5BZ	7.7	7.7	8.0	7.7	6.7	7.3	7.7	7.5
R-4	7.7	7.7	8.0	8.0	7.0	7.0	7.3	7.5
Turbo (CAS-MC1)	7.7	7.7	7.7	8.0	6.7	7.0	7.7	7.5
Watchdog	7.7	7.0	7.7	7.7	7.3	7.7	7.7	7.5
01-Rutor2	6.7	6.7	7.0	8.0	8.0	7.7	7.7	7.4
ATF 702	7.7	7.7	7.7	7.7	7.0	7.3	7.0	7.4
Bar FA 1005	7.3	7.7	7.3	7.3	7.3	7.3	7.3	7.4
Bingo	7.3	7.7	8.0	7.7	7.3	7.3	6.3	7.4
CIS-TF-67	7.3	7.3	7.7	8.0	6.7	7.3	7.7	7.4
Finelawn Elite (DLSD)	7.3	7.3	8.0	7.7	7.0	7.3	7.3	7.4
JT-9	7.3	7.3	8.0	8.0	7.0	7.3	7.0	7.4
K01-8007	7.3	7.3	8.0	7.7	7.0	7.0	7.3	7.4
MRF27	7.7	7.7	8.0	7.3	7.3	7.0	6.7	7.4
NA-TDD	7.7	7.7	7.0	7.7	7.3	7.3	7.0	7.4
Padre (NJ4)	7.7	7.7	8.0	7.7	6.7	7.0	7.3	7.4
Pick-00-AFA	7.0	7.0	7.7	8.0	7.3	7.7	7.3	7.4
PST-57E	7.3	7.7	8.0	7.3	7.0	7.0	7.3	7.4
PST-DDL	7.7	7.7	8.0	7.3	7.3	7.3	6.7	7.4
Quest	7.7	7.7	7.7	8.7	6.3	6.7	7.0	7.4
Riverside (Proseeds 5301)	8.0	8.0	7.7	7.7	6.7	6.7	7.0	7.4
SR 8600	7.7	7.7	7.7	7.3	6.7	7.0	7.7	7.4
ATF 806	7.3	7.3	7.7	7.7	6.7	7.0	7.3	7.3
Constitution (ATF-593)	7.3	7.7	7.3	7.7	7.0	7.0	7.0	7.3

Five Point (MCN-RC)	7.7	7.7	7.3	7.0	6.7	7.3	7.7	7.3
Forte (BE-2)	8.0	8.0	7.7	7.7	6.7	6.7	6.7	7.3
Gremlin (P-58)	7.3	7.3	7.7	7.3	6.7	7.3	7.3	7.3
K01-E03	7.3	7.3	8.0	7.7	6.3	7.0	7.7	7.3
K01-E09	7.0	7.0	7.7	7.0	7.7	7.3	7.3	7.3
Matador	7.3	7.3	7.3	7.7	7.0	7.3	7.0	7.3
MRF 28	7.7	7.7	7.7	7.3	7.0	7.0	6.7	7.3
Mustang 3	7.3	7.3	7.7	7.7	7.3	7.0	7.0	7.3
Picasso	7.3	7.7	7.7	7.7	7.0	7.0	7.0	7.3
Plantation	7.3	7.3	7.7	7.7	7.0	7.0	7.0	7.3
PST-53T	7.7	7.7	7.3	7.7	7.3	7.3	6.3	7.3
PST-5NAS	7.7	7.7	7.7	7.3	7.0	7.0	7.0	7.3
PST-5T1	7.0	7.0	8.0	7.7	7.3	7.0	7.3	7.3
Wolfpack	7.3	7.3	7.7	7.7	6.7	7.0	7.3	7.3
CAS-ED	7.3	7.3	7.7	7.3	7.0	7.0	7.0	7.2
Finesse II	7.3	7.3	7.3	7.3	7.0	7.0	7.0	7.2
JT-15	7.3	7.7	7.3	8.0	6.7	6.7	7.0	7.2
JT-18	7.0	7.3	7.0	8.0	7.3	7.0	7.0	7.2
JT-6	7.7	7.3	7.3	7.0	7.0	7.0	7.0	7.2
Millennium	7.3	7.3	7.3	7.7	7.3	7.0	6.3	7.2
MRF 211	7.3	7.7	7.3	7.0	7.0	7.3	7.0	7.2
Pick TF H-97	7.7	7.3	7.7	7.7	6.7	6.7	6.7	7.2
PST-5A1	7.0	7.0	7.7	7.7	6.7	7.0	7.3	7.2
PST-5BAB	7.0	7.0	7.3	7.3	7.3	7.3	7.0	7.2
PST-5KI	7.3	7.3	7.0	7.7	7.0	7.0	7.0	7.2
Rembrandt	7.0	7.3	7.3	7.7	7.3	7.3	6.7	7.2
Scorpion	6.7	6.7	7.3	7.3	7.7	7.3	7.3	7.2
Silverado II (PST-578)	7.3	7.3	7.7	7.7	6.7	6.7	7.3	7.2
SR 8250	7.0	7.0	7.0	7.3	7.3	7.3	7.3	7.2
SRX 805	7.0	7.0	7.0	7.3	7.7	7.3	7.0	7.2
Tar Heel II (PST-5TR1)	7.0	7.0	8.0	7.7	7.0	7.0	7.0	7.2
Titanium (SBM)	7.3	7.3	8.0	7.3	6.7	7.0	7.0	7.2
Tomahawk RT	7.7	7.7	7.0	7.7	7.0	7.0	6.3	7.2
UT-RB3	7.7	7.7	7.7	6.7	6.7	7.0	7.0	7.2
ATF 704	7.3	7.3	7.3	7.3	6.7	7.0	7.0	7.1
ATF-800	7.0	7.0	7.7	7.3	6.7	7.0	7.3	7.1
B-7001	7.3	7.3	7.3	7.3	7.0	7.0	6.3	7.1
BAR FA 1CR7	6.7	7.0	7.3	7.7	7.3	7.0	7.0	7.1
Bravo	7.3	7.3	7.3	7.7	6.3	7.0	6.7	7.1
CIS-TF-60	7.0	7.0	7.7	7.3	7.0	7.0	6.7	7.1
Grande II	7.0	6.7	8.0	7.7	6.3	6.7	7.3	7.1
Laramie	7.0	7.0	7.3	7.3	7.3	7.3	6.7	7.1
MRF 25	7.3	7.3	7.0	7.3	6.7	7.0	7.0	7.1
PST-5JM	6.7	7.0	7.7	7.0	6.7	7.0	7.7	7.1
PST-5TUO	7.0	7.0	7.3	7.3	7.3	7.0	7.0	7.1
Silverstar (PST-ASR	7.0	7.0	7.7	7.0	7.3	7.0	7.0	7.1
SR 8550 (SRX 8BE4)	7.3	7.7	7.7	7.0	7.0	7.0	6.3	7.1
Tar Heel	7.3	7.7	7.7	7.0	7.0	6.7	6.3	7.1
TF66	7.3	7.3	7.7	7.3	7.0	7.0	6.3	7.1
ATF 586	7.0	7.0	7.3	7.7	6.7	6.7	6.7	7.0
ATF 707	7.3	7.3	7.3	7.3	6.3	6.7	6.3	7.0
Barlexas	7.0	7.0	7.0	7.3	6.3	7.0	7.0	7.0

Barlexas II	7.0	7.0	7.0	7.3	6.7	6.7	7.3	7.0
CIS-TF-77	7.0	7.0	7.7	7.3	6.3	6.7	6.7	7.0
Covenant (ATF 802)	7.0	7.3	7.3	7.7	6.0	6.3	7.0	7.0
Daytona (MRF 23)	7.0	7.3	7.3	7.0	6.7	7.0	6.3	7.0
EA 163	7.3	7.3	8.0	6.7	6.0	6.3	7.0	7.0
GO-OD2	7.3	7.3	7.7	6.7	6.3	6.7	7.0	7.0
Jaguar 3	6.7	6.7	8.0	7.3	6.7	6.7	7.0	7.0
JT-13	7.0	7.0	7.0	7.3	7.0	7.0	6.7	7.0
MA 127	7.0	7.0	7.7	6.3	7.0	7.0	7.0	7.0
MA 158	6.7	6.7	7.7	7.3	6.7	7.0	7.0	7.0
Magellan (OD-4)	7.0	7.0	7.7	7.3	6.3	6.7	7.0	7.0
Olympic Gold	7.3	7.3	7.0	7.7	6.7	6.7	6.7	7.0
PST-5LO	7.0	7.3	7.3	7.7	6.7	6.3	6.7	7.0
Rebel Sentry	7.0	7.0	7.3	7.7	7.3	7.0	6.0	7.0
Tahoe (CAS-157)	7.3	7.3	7.3	7.0	6.3	6.7	7.0	7.0
Tracer	7.3	7.3	7.0	7.7	6.7	6.7	6.7	7.0
Wyatt	6.7	6.7	7.7	7.7	6.7	6.7	7.0	7.0
01-TFOR3	7.0	7.0	7.0	6.7	6.3	7.0	7.3	6.9
Barrington	7.0	7.0	7.7	7.3	6.0	6.3	7.0	6.9
CIS-TF-64	7.0	7.0	7.7	7.3	6.3	6.3	6.3	6.9
Coyote	6.7	6.7	7.0	7.7	6.3	7.0	6.7	6.9
Dominion	6.7	6.7	7.7	7.3	6.7	6.7	6.3	6.9
Endeavor	7.0	6.7	6.7	7.0	6.7	6.7	7.3	6.9
Kitty Hawk 2000	7.0	7.0	7.3	7.3	6.0	6.7	6.7	6.9
MRF 26	6.7	7.0	7.0	8.0	6.3	6.7	6.7	6.9
Pick ZMG	6.7	6.7	7.3	6.7	7.3	7.0	6.7	6.9
PST-5KU	7.0	7.0	7.7	7.7	6.7	6.3	6.0	6.9
Pure Gold	7.7	7.3	7.7	7.0	6.0	6.3	6.3	6.9
Roberts SM4	6.7	6.7	7.3	7.0	6.7	6.7	7.0	6.9
Signia	7.0	7.0	7.3	7.7	6.0	6.7	6.3	6.9
DLF-J210	7.0	6.7	7.3	7.3	6.7	6.3	6.3	6.8
JT-12	7.3	7.3	6.7	7.7	6.0	6.3	6.3	6.8
Lancer	7.0	7.0	7.0	7.7	5.3	6.3	7.0	6.8
Masterpiece	6.7	6.7	7.3	7.0	6.7	6.7	6.7	6.8
MRF 210	7.3	7.3	7.3	6.3	6.0	6.7	6.3	6.8
Prospect	6.7	6.3	7.3	7.0	7.0	6.7	6.3	6.8
UT-155	7.0	7.3	7.3	6.7	6.0	6.7	6.3	6.8
BAR FA 1003	6.7	6.7	7.0	6.7	6.0	7.0	7.0	6.7
Bonsai	6.7	6.7	7.7	7.3	6.3	6.3	6.0	6.7
Focus	7.0	7.3	7.0	6.7	6.7	6.3	6.0	6.7
Legitimate	6.7	6.7	6.3	6.7	6.7	7.0	7.0	6.7
PST-5S12	6.0	6.0	7.3	7.3	6.3	7.0	7.0	6.7
Southern Choice II	7.0	7.0	6.7	7.3	6.0	6.3	6.7	6.7
T991	7.0	6.7	7.3	7.0	6.0	6.3	6.7	6.7
Tempest	6.7	6.7	6.7	6.7	6.7	6.7	6.7	6.7
DP 50-9082	7.0	7.0	7.3	7.3	5.3	5.7	6.3	6.6
Falcon II	6.3	6.3	6.7	7.0	6.7	6.7	6.3	6.6
GO-SIU2	6.3	6.0	7.0	6.3	6.7	6.7	7.0	6.6
MA 138	6.7	6.3	7.3	7.0	6.0	6.3	6.7	6.6
MRF 29	6.7	6.7	7.0	6.7	6.3	6.3	6.0	6.5
Stetson	6.0	6.0	7.0	7.0	6.7	6.7	6.3	6.5
Titan LTD.	6.7	6.7	7.0	6.7	5.3	6.3	6.7	6.5

Tulsa II (ATF 706)	6.7	6.7	6.7	6.7	6.0	6.3	6.3	6.5
DP 50-9226	6.7	6.7	6.7	7.3	5.7	5.7	5.3	6.3
ATF-803	6.7	6.7	6.7	6.0	5.7	5.7	6.3	6.2
JTTF-2000	6.3	6.3	6.3	7.0	5.3	6.0	6.0	6.2
South Paw (MRF 24)	6.7	6.7	6.7	6.3	5.0	5.7	6.0	6.1
Elisa	6.0	5.7	7.0	6.0	5.0	6.0	6.7	6.0
GO-FL3	6.0	6.0	7.3	5.7	5.3	6.0	6.0	6.0
GO-RD4	6.3	6.3	7.0	6.3	5.0	5.7	5.7	6.0
KY-31 E+	4.0	4.0	4.0	3.7	4.0	4.0	4.0	4.0
LSD (0.05)	1.1	1.2	1.3	1.3	1.2	1.0	1.0	0.5

^a Visual quality ratings were taken using a scale of 1 to 9 with 1 = no living turf, 5 = acceptable turf, and 9 = ideal turf.

Table 2. Color, greenup and leaf texture of 160 turf-type tall fescue cultivars growing under low maintenance in 2003.

Cultivar	Genetic color ^a	Spring greenup ^b	Leaf texture ^c
Biltmore	7.0	6.7	5.0
Cayenne	7.3	6.7	5.3
Inferno (JT-99)	7.7	6.7	6.3
Justice (RB2-01)	7.3	7.0	5.7
K01-WAF	6.7	7.3	6.0
Raptor (CIS-TF-33)	7.3	6.0	5.3
Blackwatch (Pick-0D3-01)	7.3	7.3	6.0
Davinci (LTP-7801)	7.3	7.0	6.3
K01-8015	7.0	7.0	6.7
PST-5FZD	7.0	7.0	5.3
Rebel Exeda	7.0	7.0	6.0
Avenger (L1Z)	7.3	7.0	5.7
Cochise III (018)	7.3	7.0	5.0
Guardian-21 (Roberts Dol)	7.0	7.0	6.3
Kalahari	7.0	7.0	5.7
Rendition	7.0	7.0	6.0
01-ORU1	7.7	7.0	5.7
2nd Millennium	7.7	7.3	5.7
ATF 799	7.0	6.0	5.3
Barrera	7.0	7.0	5.7
BE1	7.0	7.3	6.0
CIS-TF-65	7.3	7.3	5.0
Dynasty	7.0	7.0	5.0
Falcon IV (F-4)	7.0	7.0	5.3
PST-5BZ	7.0	6.7	5.3
R-4	6.7	7.3	6.0
Turbo (CAS-MC1)	7.0	7.0	5.0
Watchdog	6.7	7.3	5.0
01-Rutor2	7.3	7.0	6.3
ATF 702	7.0	7.0	5.7
Bar FA 1005	7.0	7.0	5.3
Bingo	7.0	7.3	5.7
CIS-TF-67	7.7	7.0	6.0
Finelawn Elite (DLSD)	7.7	7.0	5.7
JT-9	7.0	6.3	6.0
K01-8007	7.0	6.3	5.0
MRF27	7.3	7.0	5.7
NA-TDD	7.3	7.0	5.3
Padre (NJ4)	7.3	7.0	5.7
Pick-00-AFA	7.0	7.0	5.7
PST-57E	6.7	7.0	6.0
PST-DDL	7.3	6.3	5.3
Quest	7.0	7.0	5.7
Riverside (Proseeds 5301)	7.0	7.3	5.3
SR 8600	7.0	7.0	5.3
ATF 806	7.3	7.0	6.0

Constitution (ATF-593)	7.3	7.0	5.3
Five Point (MCN-RC)	7.0	7.0	5.7
Forte (BE-2)	7.0	7.0	6.0
Gremlin (P-58)	7.3	7.0	5.7
K01-E03	7.0	7.0	5.7
K01-E09	7.0	7.0	5.7
Matador	7.0	7.0	5.0
MRF 28	7.0	6.7	5.3
Mustang 3	7.3	7.0	5.3
Picasso	7.0	7.0	5.3
Plantation	7.0	7.0	5.3
PST-53T	7.0	7.3	5.3
PST-5NAS	7.0	7.0	6.0
PST-5T1	7.0	7.0	5.3
Wolfpack	7.0	7.0	5.3
CAS-ED	7.0	7.0	5.3
Finesse II	7.3	6.7	6.0
JT-15	7.0	7.0	5.7
JT-18	7.0	6.3	5.7
JT-6	7.0	7.3	5.7
Millennium	7.0	7.0	5.3
MRF 211	7.3	6.3	5.3
Pick TF H-97	7.3	6.7	5.7
PST-5A1	7.0	7.0	5.3
PST-5BAB	7.0	7.0	5.3
PST-5KI	6.7	6.7	5.3
Rembrandt	7.0	7.3	5.3
Scorpion	7.0	7.0	6.0
Silverado II (PST-578)	7.0	7.0	5.3
SR 8250	7.7	7.0	5.3
SRX 805	7.3	7.0	5.3
Tar Heel II (PST-5TR1)	7.0	7.0	5.3
Titanium (SBM)	7.0	7.0	5.7
Tomahawk RT	7.0	7.0	4.3
UT-RB3	6.7	7.0	5.0
ATF 704	7.0	6.7	5.7
ATF-800	7.0	6.7	5.0
B-7001	7.0	6.7	5.3
BAR FA 1CR7	7.3	7.0	5.0
Bravo	7.0	7.3	5.0
CIS-TF-60	7.7	7.3	5.0
Grande II	6.7	7.0	5.3
Laramie	7.0	6.7	5.3
MRF 25	7.0	7.0	5.0
PST-5JM	7.0	7.0	5.3
PST-5TUO	7.0	7.0	5.0
Silverstar (PST-ASR)	7.0	7.0	4.7
SR 8550 (SRX 8BE4)	7.3	6.7	5.3
Tar Heel	7.0	7.0	5.3
TF66	7.0	7.0	5.3
ATF 586	7.0	6.7	5.7
ATF 707	7.0	7.0	5.0

Barlexas	7.0	6.7	5.7
Barlexas II	7.3	7.3	6.0
CIS-TF-77	7.0	7.0	5.7
Covenant (ATF 802)	7.0	7.0	5.7
Daytona (MRF 23)	6.7	7.0	5.0
EA 163	6.7	7.0	4.3
GO-OD2	7.0	7.3	5.0
Jaguar 3	7.0	7.7	6.0
JT-13	7.0	7.0	5.7
MA 127	7.7	7.0	5.0
MA 158	7.0	6.3	5.3
Magellan (OD-4)	7.0	6.7	5.7
Olympic Gold	7.0	7.0	5.0
PST-5LO	6.7	7.0	5.3
Rebel Sentry	7.0	7.3	5.7
Tahoe (CAS-157)	7.0	7.0	5.0
Tracer	6.7	7.3	5.7
Wyatt	7.0	7.0	5.7
01-TFOR3	7.0	7.3	5.0
Barrington	6.3	7.0	5.3
CIS-TF-64	7.0	7.0	5.3
Coyote	7.0	7.0	5.0
Dominion	6.7	7.0	5.0
Endeavor	7.0	7.0	4.7
Kitty Hawk 2000	6.7	7.0	5.0
MRF 26	7.3	7.0	5.0
Pick ZMG	7.0	7.0	5.3
PST-5KU	7.0	7.0	5.0
Pure Gold	7.0	6.0	5.0
Roberts SM4	7.0	7.0	5.3
Signia	7.3	7.3	5.3
DLF-J210	7.0	7.0	5.0
JT-12	7.0	7.0	5.7
Lancer	7.0	7.7	5.3
Masterpiece	7.0	7.0	5.7
MRF 210	7.0	7.0	5.0
Prospect	7.3	7.0	5.0
UT-155	7.3	6.7	5.3
BAR FA 1003	7.3	7.3	5.3
Bonsai	6.7	7.0	5.7
Focus	7.0	7.0	5.3
Legitimate	7.0	7.3	5.0
PST-5S12	6.7	7.0	5.0
Southern Choice II	7.3	7.0	5.3
T991	7.0	7.0	5.3
Tempest	7.0	6.7	5.0
DP 50-9082	6.7	6.3	5.0
Falcon II	7.0	7.3	5.0
GO-SIU2	6.7	7.0	5.3
MA 138	7.0	6.3	5.0
MRF 29	7.0	7.0	5.3
Stetson	6.7	7.3	5.0

Titan LTD.	6.3	7.0	5.3
Tulsa II (ATF 706)	6.7	7.0	4.7
DP 50-9226	6.7	7.0	5.0
ATF-803	6.3	7.0	5.0
JTTF-2000	6.3	6.7	5.0
South Paw (MRF 24)	6.7	7.0	5.3
Elisa	5.3	7.7	5.3
GO-FL3	6.3	7.0	4.7
GO-RD4	6.7	7.3	5.0
KY-31 E+	3.7	8.0	3.3
LSD (0.05)	0.8	0.9	1.0

- ^a Color was rated on a scale of 1 to 9 where 1 = light green and 9 = ideal dark green.
- ^b Spring greenup was rated on a scale of 1 to 9 where 1 = light green and 9 = ideal dark green.
- ^c Leaf texture was rated visually on a scale of 1 to 9 where 1 = coarse bladed and 9 = very fine bladed.